

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	384	269/266, "296".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 10:49
L2	939	269/266.ccls 269/296.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 10:55
L3	939	269/296.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 10:55
L4	238	269/266.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 10:55
L5	1162	3 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 10:56
L6	9223	((plural\$5 multiple) near5 (piston cylinder)) with (resevoir chamber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 11:08
L7	1	5 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 11:04
L8	0	5 and (glass with laser)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 11:04
L9	3	5 and ((glass transparen\$5) with (clamp\$3 pressur\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 11:07
L10	55	5 and ((resevoir chamber) with (clamp\$5 pressur\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 11:09

L11	1	clamp\$5 with laser with transparent with tape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 14:11
L12	12	laser with transparent with tape with (weld\$4 bond\$3 solder\$3 braz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 14:14
L13	0	laser with transparent with tape with conform\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 14:15
L14	0	laser with transparent with tape with compensat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 14:15
L15	112	laser with transparent with tape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 14:21
L16	1	("6397465").PN.	USPAT; USOCR	OR	OFF	2005/08/17 14:21
S1	6950	(laser with (machining welding brazing cutting drilling) with (clamp\$3 hold holding holder press\$3 fixtur\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 08:16
S2	20367	((transparent glass) near5 plate) with (clamp\$3 hold holding holder press\$3 fixtur\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 08:17
S3	75	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 14:08
S4	1	S3 and ((clamp\$4 hold\$4 press\$4 fixtur\$4 fix\$3) with (compress\$5 near5 (air gas)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 09:13
S5	5795	((air pneumatic\$5) near5 press\$5) same (plural\$5 near5 (clamp\$5 press\$5 piston cylinder))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 11:09

S6	28117	"269"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 10:33
S7	57	S5 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 10:33
S8	14061	((resevoir chamber) with plural\$5 with (piston cylinder))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 10:55
S9	389	S5 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 10:56
S10	1817	((irregular\$5 near5 surface) with (clamp\$4 hold\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 10:57
S11	0	S9 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/16 10:57
S12	18	((air pneumatic\$5) near5 press\$5) same (plural\$5 near5 (clamp\$5 press\$5 piston cylinder) same (single near5 (tank resevoir chamber)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 06:53
S13	48616	"219"/\$.ccor.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 06:53